


Silhouette Cutting Machine
User's manual for supplied items

Silhouette Stand

MANUAL NO. STAND-M-151



For safe use

Caution

- Thoroughly read this user's manual before use for safe and proper use.
- The warnings described here include crucial content related to safety, so please follow them.

Cautions for use


- For cutting machine use, refer to the user's manual of the machine.
- Avoid locations subject to direct sunlight, high temperatures, extreme humidity, or extreme dryness.
- When assembling the stand, secure enough space before use.
- When attaching the cutting machine to the stand, perform the procedure on a flat surface.
- When attaching the cutting machine to the stand, do not perform the procedure on slippery surfaces.
- If you are required to disassemble the stand due to reasons such as moving, be sure to check this manual and perform the tasks after understanding the structure.
- The contents of the user's manual for supplied items may be subject to change without notice.
- When assembling, be sure to lock the stoppers of the casters while performing the work.

The stopper will lock into place when lowered until a "click" is heard. Additionally, raising the stopper releases the lock.

Overview

About Silhouette Stand

Check that the following parts are available.




Supported models

CAMEO PRO MK-II


Silhouette Cutting Machine attachment method

- 1 Place the unit on top of the Silhouette stand.
 - Place the unit along lines on the front and sides of the stand.
- 2 Align the left and right holes on the bottom of the unit from the bottom of the stand and fix the unit using 2 fixing screws.




Roll paper setting method

- 1 If using thin roll paper, set the roll bar to the roll bar set position 1 (front). If using thick roll paper, set the roll bar to the roll bar set position 2 (back).
Next, set the flanged roll bar at the very front.




- 2 Set the flanged roll bar used to pass the roll through on the upper section of the stand.




1. Flanged roll bar

- 3 Pull out the front and back baskets toward you and keep them spread out.



- 4 While aligning the left edge of the media to the inner guiding line of the front panel, set it straight by matching the tip of the front edge of the media with the roller on the bottom of the rail. Refer to the user's manual of the unit for the media setting method (auto, manual).




1. Inner guiding line

⚠ Caution


At this time, firmly pull the media to the left and right using both your hands and set it while it is stretched out.

- 5** Fix flanges on both sides by adjusting them to match the width of the roll paper and rotating them.



1. Flanges

- 6** Pull out the roll paper and make the roll paper sag at the same length as the amount that will be used on the front side of the unit.




If setting a cutting mat (12-inch/24-inch)

⚠ Caution

If cutting media using a cutting mat, the media may not be transferred properly since the glue of the adhesive part may adhere. Therefore, use it after opening the support bar on the back of the stand.

- 1** If using a 12-inch cutting mat, open the support bar on the right side of the back side of the stand. If using a 24-inch cutting mat, open both support bars on the back side of the stand.



1. Support bar

Product specification

Product Name	Silhouette Stand
Supported Model	Silhouette CAMEO PRO MK-II
Mountable Roll Media Diameter Max.	120 mm
Mountable Roll Media Width Max.	621 mm
Mountable Roll Media Weight Max.	3.5 kg
External Dimensions (Approx. W x D x H) * Includes basket	Approx. 900.0 mm x 740.0 mm x 900.2 mm
Weight (Approx.) * Includes basket	Approx. 19.2 kg

* Product specifications and designs are subject to change without notice.

Silhouette Stand

MANUAL NO. STAND-M-200

⚠ CAUTION

This Silhouette stand is intended for use only with Silhouette America, Inc. manufactures electronic cutting machine of CAMEO PRO MK-II. Use with other equipment may result in instability causing injury.

⚠ Mise en garde



Ce support Silhouette est destiné à être utilisé uniquement avec la machine de découpe électronique CAMEO PRO MK-II, fabriquée par Silhouette America, Inc. L'utilisation avec d'autres équipements peut entraîner une instabilité et des blessures.

⚠ Precaución


Este soporte Silhouette está diseñado para su uso exclusivo con la máquina de Cortadora electrónico CAMEO PRO MK-II de Silhouette America, Inc. El uso con otros equipos puede provocar inestabilidad y lesiones.

⚠ CUIDADO


Este suporte Silhouette destina-se a ser utilizado apenas com a máquina de corte eletrônico CAMEO PRO MK-II, fabricada pela Silhouette America, Inc. A utilização com outro equipamento pode resultar em instabilidade e provocar ferimentos.




2. 1, 2-(L)(R), A 4x, E



3. 3, A 4x, E





4.





5.

④, ①A 4x, ①E




6.

⑤, ①A 4x, ①E




7.

⑥ 2x, ①A 4x, ①E



8.


⑦-1, ⑦-2 2x, ⑨ 4x



9.

①B 2x

✓ CAMEO PRO MK-II



10.

